

असाधारण EXTRAORDINARY

HTM II—WOR 3—GM-WORE (1)
PART II—Section 3—Sub-section (1)

प्राधिकार से प्रकासित PUBLISHED BY AUTHORITY

सं**० 154] नई विल्ली, शनिवार, समैल 18, 1981/वैज 28, 1903** No. 154] NEW DELHI, SATURDAY, APRIL 18, 1981/CHAITRA 28, 1903

इस भाग में भिन्न पृष्ठ संख्या वी जाती है जिससे कि यह अलग संकलन के कप में रक्षा जा सके

Separate paging is given to this Part in order that it may be filed as a separate compliation

निर्माण और जाबास मंत्रालय

नीधत्यमा

मद्दे विक्ली , 15 खप्रैल , 1981

- सा. का. जि. 300 (क) --संविधान की धारा 309 द्वारा प्रवत्त शवितयों का प्रयोग करते हुए राष्ट्रपति, एतव्य्वारा केन्द्रीय जल प्रयोगशाला (ग्रंप सी. तथा ग्रंप डी.) भर्ती नियम, 1978 में संशोधन करने के जिए निम्नलिखित नियम बनाते हैं नामतः :--
 - 1. (1) इन नियमों को केन्द्रीय जल प्रयोगशाला (भूप सी. तथा भूप डी.) भर्ती (संशोधन) नियम, 1981 कहा जाय ।
 - 1. '(2) वे सरकारी राजपत्र में प्रकाशन की लिथि से लाग होंगे।

2. केन्द्रीय जल प्रयोगशाला (ग्रुप सी. तथा ग्रुप डी.) भती नियम, 1978 की अनुसूची में :-

प्रयोगकाला सहायक के पद से संबंधित कम संख्या 2 के स्थान पर कालम 12 की प्रविष्टि के लिए निम्निलिसित प्रविष्टि की जाए नामत: :— ''प्रयोगकाला अटेन्डेन्ट से पदोन्नित द्वारा इस पद पर नियमित आधार पर नियमित के बाद इस ग्रेड में 3 वर्ष की सेवा सहित''।

> [संख्याः ए.-12024 (1)80-इ. पी. सी.] पी. एस. ए. सुन्दरम, निवेशक (नगर विकास)

MINISTRY OF WORKS AND HOUSING

NOTIFICATION

New Delhi, the 15th April, 1981

- G.S.R. 300(E).—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules to amend the Central Water Laboratory (Group C and Group D) Recruitment Rules, 1978, namely:——
 - 1. (i) These rules may be called the Central Water Laboratory (Gorup C and Group D) Recruitment (Amendment) Roles, 1981.
 - (ii) They shall come into force on the date of their publication in the Official Gazette.
- 2. In the Schedule to the Central Water Laboratory (Group C and Group D) Recruitment Rules, 1978,
 - against Serial No. 2, relating to the post of Laboratory Assistant, for the entry under column 12, the following entry shall be substituted, namely:
 - "By promotion from Laboratory Attendant with 3 years' service in the grade after appointment thereto on a regular basis".

[No. A-12024/1/80-EPC]
P. S. A. SUNDARAM, Director (Urban Development)